

**BEST AVAILABLE COPY**

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

Spheroids containing tiagabine, preparation process and pharmaceutical compositions

The present invention relates to a novel pharmaceutical form, in the form of spheroids, containing tiagabine as active principle.

The invention also covers the process for the preparation of such spheroids and multiparticulate pharmaceutical preparations containing these spheroids. These pharmaceutical preparations are intended for the delivery of the spheroids they contain, and are characterized in that they do not adversely affect the release profile of the tiagabine contained in the spheroids.

The term spheroids is understood to refer to spherical units whose size can range from 0.25 mm to 3 mm, preferably from 0.5 mm to 1 mm.

US patent 4,684,516 describes tablets for oral administration which disintegrate rapidly in aqueous medium, comprising coated granules capable of releasing an active principle at a controlled rate over several hours into the intestinal system and comprising 2 to 15% by weight of binders and lubricants.

US patent 4,684,516 describes in particular granules obtained by application of a layer of active principle to unsimilar materials, these granules then being coated with a first film containing a mixture of stearic acid, carnauba wax and talc, and a second film consisting of disintegrating agents - such as starch, cellulose or alginic acid - which also serve to provide the tablet's cohesion.

Patent application EP 468,436 describes prolonged-release tablets obtained by compression of an active principle and of a mixture of two powders, one being hydrophobic and the other water-soluble. The hydrophobic powder is obtained by melting and spraying a mixture of stearic acid, glycerol and hydrogenated castor oil. The water-soluble powder is a cellulose mixed with lactose.

Patent application EP 548,356 describes multi-

particulate tablets which are rapidly broken down, comprising an active substance in the form of monocrystals or microgranules.

5        These tablets are obtained by pregranulation of  
a mixture of excipients consisting of one or more break-  
down agents of the carboxymethylcellulose or polyvinyl-  
pyrrolidone type, one or more swelling agents of the  
starch type and a direct compression sugar such as  
dextrose. The microgranules or monocrystals are dry-mixed  
10       into the mixture of excipients before being tabletted.

It has been shown that the excipients usually  
used to coat non-tabletted granules, such as cellulose  
derivatives, could not absorb the mechanical stresses to  
which the granules are subjected during compression  
15       (International Journal of Pharmaceutics, No. 143, 13-23,  
1996).

The compression of coated granules is a delicate  
operation since it changes the structure of the coating  
film by causing fissures to appear or by rupture, which  
20       leads to the partial or total loss of the properties of  
the film.

Fissuration of the granules irreversibly changes  
the release profile of the active principle they contain.

25       In order to conserve the characteristics of the  
film coating the granules, before and after compression,  
the granules of the prior art are diluted with auxiliary  
substances whose role is to absorb the physical stresses  
associated with compression (binders) and to allow  
disintegration of the tablet (disintegrating agents) in  
30       liquid medium, i.e. in aqueous solution or in the  
digestive juices.

The tablet formulations of the prior art use  
auxiliary substances added to the granules during  
compression in order to avoid surface fissuration of  
35       these granules.

The subject of the present invention relates to  
spheroids containing tiagabine as active principle, which  
can be directly compressed without the addition of a  
substantial amount of an auxiliary substance, i.e. less

than 5% by weight, preferably less than 1% by weight.

The subject of the present invention is spheroids containing tiagabine as active principle and comprising:

- a core and/or a layer coating the said core, containing at least one thermoplastic excipient which is of pasty to semi-solid consistency at a temperature of about 20°C, and whose melting point is between about 25°C and about 100°C, coated with
- a flexible and deformable film, based on a polymer material, in particular a film whose glass transition temperature is less than about 30°C, which ensures either protection or masking of the taste, or modified and controlled release of the tiagabine.

The core can be composed in particular of a mixture of sucrose and starch or microcrystalline cellulose.

In the context of the present invention, thermoplastic excipients is understood to refer to compounds having a melting point of between 25 and 100°C and characterized by a pasty to semi-solid consistency at a temperature of the order of 20°C.

The role of the thermoplastic excipient is, in particular, during a possible compression step, to allow the spheroids to deform plastically, and thus to absorb some of the stresses to which they are subjected, such that their surface is not fissured or torn.

The thermoplastic excipient can advantageously be chosen from partially hydrogenated oils, beeswax, carnauba wax, paraffin waxes, silicone waxes, C12-C18 fatty alcohols and fatty acids, solid, semi-synthetic glycerides, glycerol monoesters, diesters or triesters, polyoxyethylene glycols, glycosylated polyoxyethylenated glycerides, and one of the mixtures thereof.

The layer containing at least one thermoplastic excipient is coated with a flexible and deformable film, comprising a polymer material, whose glass transition temperature is less than about 30°C, preferably less than about 20°C.

The polymer film comprises a polymer material

which is either a polymer or a mixture of at least one polymer and a plasticizer.

5 The polymer film can serve, depending on the case, to protect the tiagabine from the environment (degradation by light, by ambient moisture), to mask the taste of the active principle or to modify its release (prolonged, delayed or programmed release).

The polymer is preferably an acrylic, vinyl or cellulose polymer or copolymer.

10 The term plasticizer is understood to refer to a product which lowers the glass transition temperature of the polymer.

15 The plasticizer is preferably chosen from triethyl citrate, acetyl triethyl citrate, tributyl citrate, acetyl tributyl citrate, triacetin, diethyl phthalate, polyethylene glycols, polysorbates, mono- and diacetylated glycerides, and mixtures thereof.

20 The mechanical properties of the polymer film, in particular the percentage of elongation and the breaking strength, can serve as selection criteria for the polymer and/or the plasticizer. These mechanical properties can also be determined by the method described in standards DIN53 455 and ISO/RI 184.

25 In the context of the present invention, a polymer or a polymer/plasticizer mixture having a percentage of elongation of greater than about 50% is preferably chosen, in order to coat spheroids intended to be compressed.

30 For example, the polymer Eudragit NE30D® sold by the company Röhm, which is a neutral copolymer of acrylic and methacrylic acid esters in the form of an aqueous 30% dispersion, has a percentage of elongation of 600% and a breaking strength equal to 8 N/mm<sup>2</sup>, which makes it particularly flexible and deformable.

35 According to a first variant of the invention, the tiagabine is dispersed in the bulk of the core.

According to a second variant, the tiagabine is dispersed in the layer containing at least one thermoplastic excipient.

According to a third variant, the active principle is applied to the surface of the core and then coated with a layer containing at least one thermoplastic excipient.

5           Lastly, according to a fourth and final variant, the tiagabine is dispersed in the bulk of the core and in the layer containing at least one thermoplastic excipient.

10           The active principle can be protected, in one of the above four variants, by combining it with an anti-oxidant and/or by coating it with a protective film.

          The spheroids according to the invention can advantageously be coated with a water-dispersible outer layer.

15           The outer layer provides the said spheroids with cohesion during a possible compression step, and ensures that the tablet obtained breaks down in aqueous medium.

          The water-dispersible outer layer preferably consists of an acrylic, vinyl or cellulose polymer.

20           The subject of the present invention is also the process for the preparation of the spheroids described above.

          The cores can be manufactured by assembly in a turbomixer from calibrated sucrose crystals, or by  
25           extrusion-spheronization.

          When the cores are prepared by extrusion-spheronization, the tiagabine can be mixed into the extruded-spheronized bulk.

30           According to the preparation process of the invention, the layer containing at least one thermoplastic excipient, the film containing a polymer material, and optionally the outer protective layer, are successively deposited on the cores by spraying, in a granulating turbomixer, in a perforated turbomixer, in a  
35           fluidized-air bed, or by any other appropriate means.

          The process according to the invention comprises two or three steps depending on whether it is desired to prepare spheroids containing an outer layer which is water-dispersible, or otherwise.

The spheroids containing a water-dispersible outer layer are particularly suitable for the preparation of tablets.

5 The first step, known as the assembly step, consists in depositing the thermoplastic excipient(s) onto the cores. The assembly preparation can, depending on the case, be in the form of solid dispersions in aqueous or organic media, in the form of solutions, in the form of emulsions or in the molten state.

10 When the tiagabine is dispersed in the bulk of the layer containing at least one thermoplastic excipient, the active principle is incorporated into the assembly preparation.

15 According to another variant of the process according to the invention, the active principle can be bound by dusting onto the neutral cores premoistened with the assembly preparation.

20 According to other embodiments, the tiagabine can be dispersed in the bulk of the core or both in the bulk of the core and in that of the layer containing at least one thermoplastic excipient.

25 The second step of the process according to the invention consists in depositing the polymer film which allows protection of the active principle, masking of the taste, or modified and controlled release of the active principle. The polymer coating preparation can be in the form of solutions or dispersions in aqueous or organic medium.

30 The third optional step of the process according to the invention consists in depositing the protective outer layer by spraying the coating preparation, which can be in the form of a solution or dispersion in aqueous or organic medium.

35 It is advantageously possible, as need be, to add an anti-adhesive agent such as talc, a plasticizer such as polyethylene glycol, and an antioxidant such as dl- $\alpha$ -tocopherol to the coating and assembly preparations.

It is advantageously possible to add a disintegrating agent to the protective outer layer so as to



accelerate the release of the spheroids in aqueous medium, when these have been tabletted.

The disintegrating agent is, for example, cross-linked carboxymethylcellulose, crosslinked polyvinylpyrrolidone or sodium carboxymethyl starch.

The subject of the present invention is also multiparticulate pharmaceutical preparations containing the spheroids described above, which can be obtained by the process of the invention.

The pharmaceutical preparations of the present invention each preferably contain a unit dose of between 0.5 and 100 mg of tiagabine and are administered daily.

The multiparticulate pharmaceutical preparations according to the invention are preferably in the form of gelatin capsules filled with the said spheroids, or tablets of the said spheroids.

The said tablets are advantageously prepared without the substantial addition of auxiliary substances. Before compression, up to 5% by weight of a lubricant such as talc can be added to the spheroids.

The said tablets advantageously comprise spheroids protected by a water-dispersible layer consisting of an acrylic, vinyl or cellulose polymer or a water-dispersible thermoplastic excipient, or any other excipient which is soluble in aqueous medium.

This layer has the role of ensuring cohesion between the spheroids, of thereby ensuring the hardness of the tablet, and of allowing the tablet to disintegrate when it is immersed in solution.

The tablets according to the invention are dispersible in solution and yield independent spheroids, such that the release profile of the tablet and of the spheroids which constitute it are virtually equivalent.

The reason for this is that the tablets according to the invention allow the delivery of spheroids without adversely affecting the release profile of the tiagabine they contain under the effect of the compression.

The tablets according to the invention can be composed solely of spheroids according to the invention,

or of a mixture of spheroids according to the invention and of placebo spheroids, that is to say spheroids in accordance with the present invention but lacking the active principle.

5           The stresses exerted on the spheroids, during the compression step, can range from 5 kN to 50 kN, preferably between 5 kN and 15 kN.

          The hardness of the tablets is preferably between 10 N and 100 N, more preferably between 10 N and 50 N.

10           The disintegration time of the tablets in aqueous medium at 37°C is less than 60 min.

          The tablets according to the invention preferably have a mass of between 0.1 g and 1 g.

          They may be round, oval or oblong in shape, they  
15 may have a flat or concave surface and may have cleaving grooves or bars.

          The tablets according to the invention can be subjected to a final protective or colouring coating operation.

20           Lastly, the subject of the present invention is the use of a pharmaceutical preparation described above, for the manufacture of a medicinal product which is useful for treating epilepsy, the said medicinal product preferably being in the form of a tablet.

25           The present invention will be described more particularly with the aid of the examples which follow and of the single figure, which should not be considered as limiting the invention.

          The single figure represents the percentage by  
30 mass of in-vitro dissolution of tiagabine for the non-compressed spheroids according to the invention (curve 1) and for a tablet of spheroids according to the invention (curve 2).

EXAMPLE 1Assembly stepPreparation of the assembly suspension

Weigh out the excipients in the proportions given below.

Materials	Amount (g)	Percentage
Tiagabine	100.0	52.1% of the dry extract
Novata AB® wax	38.0	19.8% of the dry extract
PEG-6000	13.0	6.8% of the dry extract
Polysorbate 80	6.0	3.1% of the dry extract
dl- $\alpha$ -Tocopherol	10.0	5.2% of the dry extract
Talc	25.0	13.0% of the dry extract
Purified water	233.0	100% of the solvent

Dry extract content: 45.2%

- Heat the purified water to 37°C,
- 15 - Add the PEG-6000 (Empakol® - sold by ICI) and melt it until a homogeneous solution is obtained,
- Heat the Novata AB® wax (sold by Henkel) to 37°C
- Add the polysorbate 80 wax (sold by ICI) and the dl- $\alpha$ -tocopherol (sold by Roche),
- 20 - Mix at 37°C, using a Heidolph-type stirrer, the aqueous solution and the oily solution in order to obtain an oil-in-water type emulsion,
- Cool so as to bring the temperature down to about 25°C,
- 25 - Add the active principle,
- Grind the suspension using an Ultra-Turrax® type turbomixer,
- Lastly, add the talc and keep the suspension stirring during the assembly operation.

30 Assembly on neutral cores

- Place 550 g of Neutres 30® (sold by NP-Pharm) into a granulating turbomixer, a perforated turbomixer or a fluidized-airbed,
- Carry out the assembly continuously by spraying of  
35 the suspension described above,
- Maintain the temperature between 20 and 23°C throughout the operation,
- Sieve the mass of microgranules obtained.

## Final formula:

	Materials	Percentage
	Neutres 30®	74.1%
	Tiagabine	13.5%
5	Novata AB® wax	5.1%
	PEG-6000	1.8%
	Polysorbate 80	0.8%
	dl- $\alpha$ -Tocopherol	1.3%
	Talc	3.4%
10	Theoretical tiagabine content	135 mg/g

## Coating step

1. Preparation of the sustained-release coating suspension

- 15 - Weigh out the following coating excipients in the proportions indicated:

Materials	Amount (g)	Percentage
Eudragit NE 30D®	40.0 g	80.0% of dry extract
PEG-6000	10.0 g	20.0% of dry extract
Purified water	158.0 g	100% of solvent

20 Content of the dry extract: 24.0%

- Place the purified water in a container with stirring,
- Dissolve the PEG-6000 until a homogeneous solution is obtained,
- 25 - Add the Eudragit NE 30D® (sold by the company Röhm) slowly and stir until a homogeneous suspension is obtained,
- Maintain the stirring throughout the coating phase.

Coating of the assembled spheroids

- 30 - Place a fraction of the microgranules obtained according to Example 1 into a perforated turbomixer or a fluidized-airbed,
- Coat the assembled spheroids by continuous spraying of the suspension described above while maintaining

- the bed of spheroids at a temperature below 25°C,  
- Dry and then sieve the bulk that is obtained.

2. Preparation of the protective-coating suspension

- Weigh out the following coating excipients in the proportions indicated:

Materials	Amount (g)	Percentage
Opadry OYB®	95.0	95.0% of dry extract
PEG-6000	5.0	5.0% of dry extract
Purified water	1000	100% of solvent

10 Content of the dry extract: 10.0%

- Place the purified water in a container with stirring,  
- Dissolve the PEG-6000 until a homogeneous solution is obtained,  
15 - Add the Opadry OYB® (sold by the company Colorcon) slowly and stir until a homogeneous suspension is obtained,  
- Maintain the stirring throughout the coating phase.

Coating of the sustained-release spheroids

- 20 - Place a fraction of the spheroids obtained above into a perforated turbomixer or a fluidized-airbed,  
- Coat the sustained-release spheroids by continuous spraying of the solution described above while maintaining the bed of spheroids at a temperature  
25 below 25°C,  
- Dry at 30°/35°C at the end of the coating and then sieve the bulk thus obtained.

Final formula corresponding to 35% w/w of prolonged-release coating and 5% w/w of protective coating:

	Materials	Percentage
	Neutres 30®	44.9%
	Tiagabine	8.2%
	Novata AB® wax	3.1%
5	PEG-6000	8.3%
	Polysorbate 80®	0.5%
	dl- $\alpha$ -Tocopherol	0.8%
	Talc	2.1%
	Opadry OYB®	4.1%
10	Eudragit NE 30D®	28.0%
	Theoretical tiagabine content	82 mg/g

The spheroids are then compressed on a Pette P1200 type rotary instrumented machine. The compression forces applied are between 10 kN and 30 kN.

15 Characteristics of the tablets measured on 10 units:

Average weight	Size l×L×h (mm)	Hardness	Friability	Disintegration
291 mg	12.5×7.5×4.4	21 N	< 0.1%	45 min

Results of in vitro dissolution:

20 Conditions:

- Vane dissolution machine in accordance with USP XXIII standard, <711> machine 2,
- Medium: 900 ml of purified water at 37°C stirred at 50 revolutions/minute.

25 The active principle is assayed continuously by ultraviolet spectrophotometry.

The table below gives the percentage of active principle released by the spheroids before and after compression as a function of time.

Time (h)	Spheroids Percentage of tiagabine released	Dispersible tablets Percentage of tiagabine released
0	0	0
1	20.1	22.8
2	32.6	37.6
3	43.2	49.5
4	52.4	59.1
5	60.5	67.0
6	67.4	73.4
8	78.0	82.7
12	89.8	92.8
16	95.4	97.6
23	99.1	100.6

The results presented in the single figure show that there is no significant difference between the dissolution profiles of the active principle before and after compression.

#### EXAMPLE 2:

- This is carried out in the same way as in Example 1, but the phase of cooling the assembly suspension is eliminated.
- The assembly is prepared while maintaining the temperature of the preparation at 37°C with stirring.

#### EXAMPLE 3:

- This is performed in the same way as in Example 1, but leaving out the PEG-6000 from the assembly step:

Materials	Amount (g)	Percentage
Tiagabine	100.0	52.1% of the dry extract
Novata AB® wax	51.0	26.6% of the dry extract
Polysorbate 80	6.0	3.1% of the dry extract
dl- $\alpha$ -Tocopherol	10.0	5.2% of the dry extract
Talc	25.0	13.0% of the dry extract
Purified water	233.0	100% of the solvent

Dry extract content: 45.2%

CLAIMS

1. Spheroids containing tiagabine as active principle and comprising:
  - a core and/or a layer coating the said core, containing at least one thermoplastic excipient which is of pasty to semi-solid consistency at a temperature of about 20°C, and whose melting point is between about 25°C and about 100°C, coated with
  - a flexible and deformable film, based on a polymer material, in particular a film whose glass transition temperature is less than about 30°C, which ensures either protection or masking of the taste, or modified and controlled release of the tiagabine.
2. Spheroids according to Claim 1, characterized in that the thermoplastic excipient is chosen from partially hydrogenated oils, beeswax, carnauba wax, paraffin waxes, silicone waxes, C12-C18 fatty alcohols and fatty acids, solid, semi-synthetic glycerides, glycerol monoesters, diesters or triesters, polyoxyethylene glycols, glycosylated polyoxyethylenated glycerides, and one of the mixtures thereof.
3. Spheroids according to Claim 1 or 2, characterized in that the glass transition temperature of the flexible and deformable film is less than about 20°C.
4. Spheroids according to one of Claims 1 to 3, characterized in that the polymer material is a polymer or a mixture of at least one polymer and a plasticizer.
5. Spheroids according to Claim 4, characterized in that the plasticizer is chosen from triethyl citrate, acetyl triethyl citrate, tributyl citrate, acetyl tributyl citrate, triacetin, diethyl phthalate, polyethylene glycols, polysorbates, mono- and diacetylated glycerides, and mixtures thereof.
6. Spheroids according to one of Claims 1 to 5, characterized in that the polymer material has a percentage of elongation of greater than about 50%.
7. Spheroids according to one of the preceding claims, characterized in that they are coated with a



water-dispersible outer layer which provides the said spheroids with cohesion during a possible compression step and which ensures breakdown in aqueous medium of the tablet obtained.

5 8. Spheroids according to Claim 7, characterized in that the water-dispersible outer layer consists of an acrylic, vinyl or cellulose polymer.

9. Spheroids according to one of Claims 1 to 8, characterized in that the tiagabine is dispersed in the  
10 bulk of the core.

10. Spheroids according to one of Claims 1 to 8, characterized in that the tiagabine is dispersed in the layer containing at least one thermoplastic excipient.

11. Spheroids according to one of Claims 1 to 8,  
15 characterized in that the tiagabine is applied to the surface of the core and then coated with a layer containing at least one thermoplastic excipient.

12. Spheroids according to one of Claims 1 to 8, characterized in that the tiagabine is dispersed in the  
20 bulk of the core and in the layer containing at least one thermoplastic excipient.

13. Process for the preparation of the spheroids according to one of Claims 1 to 12, characterized in that the layer containing at least one thermoplastic  
25 excipient, the film containing a polymer material, and optionally the outer layer, are successively deposited on the cores by spraying, in a granulating turbomixer, in a perforated turbomixer, in a fluidized-air bed, or by any other appropriate means.

30 14. Multiparticulate pharmaceutical preparations containing the spheroids according to one of Claims 1 to 12 or which can be obtained according to the process of Claim 13.

15. Pharmaceutical preparations according to Claim  
35 14, characterized in that each preparation contains a unit dose of between 0.5 and 100 mg of tiagabine.

16. Pharmaceutical preparations according to Claim 14 or 15, characterized in that they are in the form of gelatin capsules filled with the said spheroids.


17.       Pharmaceutical preparations according to Claim 14 or 15, characterized in that they are in the form of tablets of the said spheroids.

5       18.       Process for manufacturing the preparations according to Claim 17, characterized in that the tablets are prepared without the addition of a substantial amount of an auxiliary substance.

10       19.       Process according to Claim 18, characterized in that up to 5% by weight of a lubricant such as talc is added to the spheroids before compression.

20.       Use of a preparation according to any one of Claims 14 to 17, or obtained according to the process of Claim 18 or 19, for the manufacture of a medicinal product which is useful in the treatment of epilepsy.

15       21.       Use according to Claim 20, characterized in that the medicinal product is in the form of a tablet.



## INTERNATIONAL SEARCH REPORT

Int. l. Application No.

PCT/IB/01910

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A61K31/445 A61K9/50 A61K9/20

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 96 34606 A (NOVONORDISK AS ;SVENSSON JOERGEN RYHL (DK); NYGAARD LARS (DK); AND) 7 November 1996 ---	
A	EP 0 361 874 A (TAKEDA CHEMICAL INDUSTRIES LTD) 4 April 1990 ---	
A	US 4 684 516 A (BHUTANI BALDEV R) 4 August 1987 cited in the application ---	
A	EP 0 468 436 A (SS PHARMACEUTICAL CO) 29 January 1992 cited in the application ---	
A	WO 95 05808 A (ABBOTT LAB) 2 March 1995 ---	
	--- -/--	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

## \* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&amp;" document member of the same patent family

Date of the actual completion of the international search

9 April 1999

Date of mailing of the international search report

16/04/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Fischer, W

## INTERNATIONAL SEARCH REPORT

In. ational Application No

PCT/IB/01910

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 92 17473 A (NOVONORDISK AS) 15 October 1992 ---	
A	US 5 591 451 A (GUPTA PRAMOD K ET AL) 7 January 1997 ---	
A	WO 95 31976 A (NOVONORDISK AS) 30 November 1995 -----	

## INTERNATIONAL SEARCH REPORT

Information on patent family members

Int. .ational Application No.

PCT/IB/01910

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9634606	A	07-11-1996	AU 5644196 A CA 2220019 A CN 1183721 A CZ 9703388 A EP 0830132 A JP 10505359 T NO 975076 A NZ 307159 A PL 323138 A US 5866590 A	21-11-1996 07-11-1996 03-06-1998 18-03-1998 25-03-1998 26-05-1998 04-11-1997 28-10-1998 16-03-1998 02-02-1999
EP 0361874	A	04-04-1990	AT 97317 T AU 626584 B AU 4233289 A CA 1338596 A DE 68910773 D DE 68910773 T DK 473889 A ES 2060784 T IE 63039 B JP 2174931 A JP 8019003 B KR 143424 B US 5855914 A	15-12-1993 06-08-1992 05-04-1990 17-09-1996 23-12-1993 11-05-1994 28-03-1990 01-12-1994 22-03-1995 06-07-1990 28-02-1996 15-07-1998 05-01-1999
US 4684516	A	04-08-1987	NONE	
EP 0468436	A	29-01-1992	JP 2572673 B JP 4082825 A CA 2046845 A DE 69128569 D DE 69128569 T ES 2111547 T US 5164193 A	16-01-1997 16-03-1992 26-01-1992 12-02-1998 16-04-1998 16-03-1998 17-11-1992
WO 9505808	A	02-03-1995	US 5591451 A	07-01-1997
WO 9217473	A	15-10-1992	AU 661483 B AU 1641592 A CA 2107223 A EP 0579681 A FI 934298 A IL 101358 A JP 6506209 T NO 304113 B NZ 242191 A US 5354760 A	27-07-1995 02-11-1992 03-10-1992 26-01-1994 30-09-1993 04-08-1996 14-07-1994 26-10-1998 26-07-1994 11-10-1994
US 5591451	A	07-01-1997	WO 9505808 A	02-03-1995
WO 9531976	A	30-11-1995	AU 698131 B AU 2559995 A BR 9507736 A CA 2190837 A CN 1148806 A CZ 9603381 A EP 0760656 A FI 964619 A	22-10-1998 18-12-1995 19-08-1997 30-11-1995 30-04-1997 11-06-1997 12-03-1997 19-11-1996

## INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No.

PCT/IB/01910

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9531976 A		HU 75864 A	28-05-1997
		JP 10500415 T	13-01-1998
		NO 964915 A	19-11-1996
		NZ 287012 A	24-09-1998
		SK 148296 A	04-06-1997
		US 5750140 A	12-05-1998
<hr/>			

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**